






















































LAMP BASE TYPES

BA9s	BA15d	E11	E17	E26	E39/E40
					
EP39	EU11	EX39	Fc2 / Fc2/18	FESTOON	G4
					
G5	G6.35	G12	G13	G23	G23-2
					
G24d-2	G24d-3	G24q-1	G24q-2	G24q-3	GU4
					
GU5.3 / GX5.3	GU10	GX16d	GX23	GX23-2	GX24d-2
					

GX24d-3	GX24q-1	GX24q-2	GX24q-3	GX24q-4	GY6.35
					
GZ4	GZ10	2G7	2G11	2GX7	Pin Blade
					
		R7s-12	RIGID LOOP	RX7s / RX7s-24	WEDGE
					

LAMP FILAMENT TYPES

C-2R	CC-2V	C-6	CC-6	CBar6 (CF-6)	C8	CC-8
						

Sockets for Single and Double Ended Quartz Halogen Lamps

Order Code	Description	Lead Wire Specs	Volts	Amps	Lamp Type
------------	-------------	-----------------	-------	------	-----------

Sockets for Single Ended Halogen Lamps Miniature Bipin — 4.0mm Pin Spacing

GZ4 Base — 1.0mm Pin Diameter

1000109	C-14B	0.75X150L	24V	3A	JC
---------	-------	-----------	-----	----	----

Miniature 2-Pin (Blade) Base — 5.33mm Pin Spacing

G5.3-4.8 Base — 0.5mm x 4.8mm Pin Diameter

1000111	C-21	2.50X150L	125V	6A	JCR/M-50, 75, 10W
---------	------	-----------	------	----	-------------------

2-Pin Base — 5.33mm Pin Spacing

GX5.3 or GU5.3 Base — 1.6mm Pin Diameter

1002142	C-33U	0.75X150L	24V	7A	MR-16, GU5.3
1000114	C-5	1.25X160L	125V	15A	JCD, MR-16
1000115	C-5(A)	1.25X300L	125V	15A	JCD, MR-16

G6.35 Base — 6.35mm Pin Spacing

G6.35 Base — 1.25mm Pin Diameter

1000681	J-11(A)	1.25X160L	125V	10A	JC, JCR
---------	---------	-----------	------	-----	---------

Sockets for Single Ended Halogen Lamps Medium 2-Pin Base — 9.53mm Pin Spacing

G9.5 Base — 3.17mm Pin Diameter

1002225	3.15 Contacts for J-10 Socket		250V	10A	
1000679	J-10		250V	10A	JCD, JCV

Medium 2-Pin Prefocus Base — 9.53mm Pin Spacing

GY9.5 Base — 3.2mm, 2.4mm Pin Diameter

1000690	J-9G	3.17/2.36 w/o Lead	250V	10A	JCD
1003123	J-9G/4	W/4" UL Leadwire	250V	10A	JCD
1003124	J-9G/8	W/8" UL Leadwire	250V	10A	JCD

Minican Screw Base

E11 Base — 10.7mm Diameter Screw

1000683	J-12CS(A)	0.75X150L UL	125V	6A	JCV
---------	-----------	--------------	------	----	-----

Sockets for Double Ended Halogen Lamps Recessed Single Contact Base

R7S Base — 7.0mm Base Diameter

1000117	C-8	2.00X150L	250V	10A	J, JP, JPD
---------	-----	-----------	------	-----	------------



C-21



C-33U




C-5



J-11 (A)



J-10



J-9G



J-12CS



C-8